



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

First choice
Second choice



Round steel tubes

Tel: +33 3 44 77 30 00
stad@stad.fr

www.stad.fr



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

First choice
Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 45	8.3	144	7.5		Ø 89	5.9	2,598	12.1
						6.4	1,584	13.0
Ø 48	3.2	12,606	3.5			6.5	1,108	13.2
	7.1	2,795	7.2			7.1	133	14.3
						7.9	30	15.8
Ø 60	2.6	12	3.7			9.0	12	17.8
	4.0	59	5.5			9.3	5,406	18.3
	4.8	261	6.5			9.5	12	18.6
	5.1	105	6.9			10.5	120	20.3
	6.5	126	8.6			10.9	311	21.0
	7.1	12	9.3			11.4	137	21.8
	7.5	1,211	9.7			11.5	18	22.0
	7.9	460	10.2			12.1	18	22.9
	8.5	27	10.8			15.1	185	27.5
	11.9	10	14.1			15.9	13	28.7
						16.7	323	29.8
Ø 70	9.9	11	14.7			17.5	409	30.9
						19.1	11	32.9
Ø 73	5.5	7,573	9.2			23.0	44	37.4
	5.6	243	9.3					
	7.8	81	12.5		Ø 95	23.0	102	40.8
	9.2	342	14.5					
	9.5	78	14.9		Ø 101	4.5	57	10.7
	11.2	27	17.1			5.6	403	13.2
	13.5	192	19.8			5.7	412	13.4
	14.3	216	20.7			6.5	132	15.1
	17.5	14	24.0			6.7	24	15.6
	19.1	13	25.4			7.5	48	17.3
						7.9	120	18.1
Ø 76	17.5	121	25.2			8.4	30,592	19.2
						8.7	54	19.8
Ø 80	4.5	83	8.4			9.0	12	20.4
	5.9	435	10.8			9.0	26	20.4
	6.4	248	11.6			9.2	12	20.8
	8.0	167	14.2			9.5	54	21.4
						10.6	557	23.6
Ø 82	15.9	374	25.9			10.7	827	23.8
						13.5	384	29.1
Ø 85	10.3	42	19.0			15.1	497	32.0
	15.9	265	27.1			15.5	866	32.7
						15.9	688	33.4
Ø 89	3.2	103	6.8			17.5	46	36.0
	3.6	124	7.6			21.4	171	42.0
	4.0	33	8.4			25.4	14	47.4
	5.6	171	11.5					

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

First choice
Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 108	4.0	25	10.3		Ø 121	27.0	156	62.6
	7.9	15	19.5					
	9.5	108	23.1			2.5	18	7.7
	15.9	14	36.1			5.6	14	16.8
	19.1	126	41.9			6.4	87	19.0
	20.6	28	44.4			7.1	54	21.0
	23.8	14	49.4			7.5	947	22.1
	24.6	13	50.6			7.9	343	23.2
Ø 110					Ø 127	8.7	53	25.4
	2.0	18	5.3			9.0	276	26.2
						9.2	53,352	26.7
	3.2	182	8.7			9.5	72	27.5
	3.6	324	9.8			10.3	126	29.6
	4.0	44	10.9			11.1	456	31.7
	4.5	142	12.2			12.2	18	34.5
	5.1	180	13.7			12.3	60	34.8
Ø 114	5.6	1,630	15.0			12.5	468	35.3
	5.9	403	15.7			12.7	72	35.8
	6.4	168	17.0			13.9	88	38.8
	6.4	2,846	17.0			14.3	84	39.7
	6.7	29	17.7			15.1	256	41.7
	7.0	3,560	18.5			15.5	44	42.6
	7.1	11,438	18.7			15.9	89	43.6
	7.4	6,492	19.5			16.3	13	44.5
	7.5	1,733	19.7		Ø 133	16.7	270	45.4
	7.9	854	20.7			17.1	156	46.3
	8.0	36	20.9			22.2	23	57.4
	8.5	324	22.1			23.8	77	60.6
	8.6	25,175	22.4			24.6	59	62.1
	9.0	36	23.3					
	9.0	804	23.3			11.5	123	34.5
	9.1	203	23.5			11.9	71	35.5
	9.5	27	24.5		Ø 139	19.1	12	53.7
	14.3	115	35.2			19.8	420	55.3
	15.1	45	36.8			20.6	2,159	57.1
	15.9	108	38.5			21.4	247	58.9
	19.1	34	44.7			22.2	14	60.7
	24.6	151	54.2			23.0	192	62.4
						29.4	28	75.1
Ø 117	11.1	38	29.0		Ø 139	5.1	21	16.8
	14.3	42	36.2			6.5	104	21.2
	19.1	13	46.1			7.1	646	23.1
Ø 121	3.2	24	9.3			7.5	350	24.3
	19.1	14	48.0			7.7	8,565	24.9

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

First choice
Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m	Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 139	7.9	283	25.5	Ø 152	2.0	492	7.4
	8.0	144	25.8		2.9	18	10.7
	8.3	20	26.8		3.6	288	13.2
	8.7	558	28.0		4.5	48	16.4
	9.0	917	28.9		5.6	41	20.2
	9.1	24	29.2		6.4	56	23.0
	9.2	25,657	29.5		7.1	11	25.4
	9.5	1,067	30.3		9.0	12	31.7
	10.5	671	33.3		9.5	108	33.4
	11.1	17	35.0		11.5	60	39.8
	11.5	476	36.2		15.1	59	51.0
	11.9	38	37.3		19.1	239	62.6
	12.7	27	39.6		22.2	84	71.1
	13.5	21	41.8		23.0	18	73.2
	14.3	43	44.0		27.0	52	83.2
	15.1	60	46.1	Ø 159	4.5	632	17.1
	15.9	180	48.3		5.1	67	19.4
	18.3	10	54.5		5.9	54	22.3
	19.1	19	56.5		19.8	72	68.0
	19.8	27	58.2		20.6	68	70.3
	20.6	35	60.2		21.4	27	72.6
	27.0	48	74.6		22.2	247	74.9
	28.6	260	77.9		23.8	40	79.4
	30.2	27	81.0	Ø 161	20.6	16	71.3
Ø 141	5.1	48	17.1		23.0	105	78.3
	10.7	21	34.4		25.4	54	84.9
Ø 146	9.5	61	32.0	Ø 165	24.6	14	85.2
	10.3	24	34.5		27.0	51	91.9
	11.1	20	36.9		30.2	41	100.4
	12.3	12	40.6	Ø 168	2.9	4,544	11.8
	12.7	48	41.8		3.2	74	13.0
	13.1	22	42.9		3.5	1,476	14.2
	13.5	67	44.1		3.6	11	14.6
	15.1	45	48.7		4.0	160	16.2
	19.8	13	61.6		4.5	1,351	18.1
	21.4	36	65.8		4.5	1,139	18.1
	22.2	191	67.8		5.0	498	20.1
	23.0	12	69.8		5.0	370	20.1
	23.8	22	71.7		5.1	88	20.5
	24.6	30	73.7		5.6	120	22.4
Ø 149	10.5	1,082	35.9		5.6	134	22.4

Tel: +33 3 44 77 30 00
stad@stad.fr

www.stad.fr



Stock

Tel: +33 3 44 77 30 00

First choice

Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 168	5.9	18	23.6		Ø 178	50.0	40	157.8
	6.0	24	24.0					
	6.3	1,374	25.1		Ø 184	45.0	46	154.3
	6.4	161	25.5					
	6.5	543	25.9		Ø 193	4.5	1,143	20.9
	7.1	51	28.2			5.5	763	25.4
	7.1	9,968	28.2			6.7	11	30.8
	7.5	62	29.7			8.3	144	37.8
	7.9	89	31.2			9.5	47	43.0
	8.3	242	32.7			9.9	13	44.7
	8.9	168	34.9			11.1	352	49.8
	9.5	66	37.1			12.7	60	56.5
	10.0	265	39.0			13.5	96	59.8
	10.0	37	39.0			18.3	36	78.8
	10.3	34	40.1			19.1	28	81.9
	10.5	448	40.8			19.8	18	84.6
	10.6	33	41.1			20.6	19	87.6
	11.1	104	43.0			22.2	11	93.5
	11.9	64	45.8			23.0	46	96.4
	12.7	98	48.6			24.6	117	102.2
	13.1	18	50.0			25.4	87	105.0
	13.5	144	51.4			27.0	47	110.5
	15.9	60	59.6			28.6	38	116.0
	16.3	17	61.0			29.4	38	118.6
	17.5	217	65.0			33.3	213	131.2
	22.2	200	79.8			45.0	261	164.2
	28.6	17	98.3					
	30.2	135	102.6		Ø 198	15.1	793	68.1
Ø 173	30.2	76	106.4			20.6	451	90.1
	43.0	21	137.9			21.4	884	93.2
Ø 178						23.0	232	99.3
	6.9	90	29.1			24.5	82	104.8
	8.1	222	33.9			25.4	112	108.1
	9.1	166	37.9			27.5	128	115.6
	9.2	156	38.3			29.4	148	122.2
	9.5	61	39.5					
	10.4	120	43.0		Ø 203	5.6	7,021	27.3
	11.5	980	47.2			5.9	11	28.7
	12.7	3,806	51.8			6.4	200	31.0
	13.5	160	54.8			7.1	356	34.3
	13.7	204	55.5			14.3	12	66.5
	15.9	28	63.6			15.9	11	73.4
	17.5	11	69.3			22.2	132	99.0
	19.1	12	74.8			23.0	45	102.1
						23.8	23	105.2

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

First choice
Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m	Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 203	24.6	207	108.2	Ø 219	3.2	47	17.0
	25.4	223	111.3		3.6	74	19.1
	26.2	90	114.2		4.0	77	21.2
	27.0	361	117.2		4.0	95	21.2
	28.0	905	120.8		4.5	5,942	23.8
	28.6	110	123.0		4.5	251	23.8
	29.4	42	125.9		4.8	19	25.4
	31.8	24	134.3		5.0	5,586	26.4
	36.5	14	149.9		5.0	24	26.4
	55.0	18	200.7		5.1	81	26.9
Ø 207	30.2	36	131.7		5.6	1,741	29.5
	36.5	50	153.5		5.6	204	29.5
	38.1	39	158.7		5.9	12	31.0
Ø 211	20.6	33	96.7		5.9	93	31.0
	27.0	49	122.5		6.0	74	31.5
	28.6	22	128.7		6.0	56	31.5
	31.8	52	140.5		6.3	6,161	33.0
	33.3	28	145.9		6.3	590	33.0
	34.9	11	151.6		6.4	127	33.6
	36.5	25	157.1		6.4	61	33.6
	38.1	59	162.5		6.5	546	34.1
	40.0	23	168.7		6.5	628	34.1
	47.5	12	191.5		6.7	157	35.1
Ø 216	50.0	12	198.5		6.7	173	35.1
	5.9	36	30.6		7.0	377	36.6
	22.2	2,214	106.1		7.0	48	36.6
	23.8	43	112.8		7.1	2,475	37.1
	24.6	74	116.1		7.1	556	37.1
	25.4	100	119.4		7.5	56	39.1
	28.6	22	132.2		7.9	75	41.1
	30.2	41	138.4		7.9	134	41.1
	31.8	66	144.5		8.0	6,907	41.6
	33.3	92	150.0		8.0	148	41.6
Ø 219	34.9	33	155.9		8.2	35	42.6
	38.1	34	167.2		8.2	98	42.6
	40.0	36	173.6		8.3	122	43.1
	45.0	156	189.8		8.7	84	45.1
	48.0	64	198.9		8.7	104	45.1
	50.0	130	204.7		8.8	12	45.6
	60.0	90	230.8		8.9	17	46.1
					8.9	308	46.1
					9.1	18	47.1
					9.5	1,176	49.1
					9.5	167	49.1
					10.0	7,165	51.5

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Stock

Tel: +33 3 44 77 30 00

First choice

Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 219	10.3	35	53.0		Ø 226	33.3	19	158.3
	11.4	240	58.4			34.9	67	164.5
	11.9	12	60.8			40.0	23	183.5
	12.0	630	61.3			47.5	22	209.1
	12.5	528	63.7			50.0	24	217.0
	12.5	19	63.7			57.5	12	238.9
	12.7	184	64.6		Ø 229	5.9	1,181	32.5
	12.7	527	64.6			6.4	903	35.1
	13.1	114	66.5			7.1	44	38.9
	13.9	36	70.3			27.0	22	134.5
	14.3	12	72.2			28.6	12	141.3
	15.1	703	75.9			30.2	13	148.1
	15.9	11	79.6			31.8	17	154.7
	22.2	12	107.7			33.3	10	160.7
	23.0	20	111.2			34.9	27	167.1
	24.6	31	117.9			36.5	13	173.3
	26.0	1,548	123.8			38.1	21	179.4
	27.0	107	127.8			40.0	12	186.4
	28.6	41	134.3			45.0	38	204.2
	29.0	13	135.9			48.0	43	214.3
	29.4	68	137.5			50.0	60	220.7
	29.8	41	139.0		Ø 235	27.0	15	138.5
	30.2	2,892	140.6			38.1	72	185.0
	31.8	60	146.8			40.0	36	192.4
	33.3	471	152.5			43.0	35	203.6
	35.0	165	158.8			45.0	20	210.9
	36.0	61	162.5			50.0	113	228.1
	36.5	186	164.3		Ø 238	40.0	26	195.3
	37.5	115	167.9					
	38.1	27	170.0		Ø 241	38.6	93	192.7
	40.0	653	176.6			50.0	32	235.5
	47.5	39	200.9		Ø 244	5.0	1,023	29.5
	50.0	298	208.4			6.4	2,093	37.5
	55.0	71	222.5			6.4	11	37.5
Ø 222	30.2	50	142.9			6.7	13	39.2
	31.4	73	147.6			7.1	16	41.5
	33.3	38	155.0			7.9	18	46.0
	37.0	48	168.8			8.0	1,053	46.6
	40.6	64	181.6			8.9	1,529	51.6
	47.0	240	202.8			8.9	349	51.6
Ø 226	10.3	65	54.8			9.1	12	52.7
	11.5	749	60.8					
	12.3	15	64.8					

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

First choice
Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 244	9.5	13	54.9		Ø 254	15.9	786	93.4
	10.0	485	57.7			16.7	2,543	97.7
	10.0	497	57.7			17.5	3,750	102.1
	10.3	109	59.4			18.3	2,022	106.4
	11.1	88	63.8			34.9	12	188.6
	11.1	830	63.8			36.5	16	195.8
	11.9	37	68.1			38.0	69	202.4
	12.0	1,050	68.7			48.0	19	243.9
	12.5	192	71.4			50.0	72	251.6
	12.5	13	71.4			53.0	16	262.7
	13.1	60	74.6			60.0	17	287.1
	13.5	60	76.7			63.0	23	296.8
	13.8	7,254	78.3		Ø 257	23.0	108	132.7
	15.1	155	85.2			40.0	19	214.1
	15.9	38	89.4			55.0	53	274.0
	20.2	37	111.5		Ø 260	25.4	350	147.0
	23.8	36	129.2			36.7	30	202.1
	25.4	205	136.9			42.5	18	228.0
	27.0	18	144.5			58.0	16	288.9
	30.2	13	159.2			63.0	195	306.1
	31.8	49	166.4		Ø 263	65.0	22	312.6
	33.3	80	173.0			27.0	320	157.1
	34.9	26	180.0		Ø 267	6.4	746	41.1
	36.5	57	186.8			7.1	33	45.5
	38.1	61	193.5			7.5	2,070	48.0
	40.0	91	201.2			8.3	73	53.0
	42.5	307	211.2			9.9	11	62.8
	45.0	394	220.8			12.7	11	79.6
	47.5	46	230.2			22.2	11	134.0
	50.0	236	239.2			23.8	33	142.7
	60.0	46	272.3			27.0	25	159.8
	65.0	20	286.9			28.6	16	168.2
Ø 246	25.0	98	136.3			30.2	11	176.4
						31.8	11	184.5
Ø 250	15.9	60	91.8			40.0	34	223.9
	17.5	108	100.3			42.5	21	235.3
	18.3	14	104.6			45.0	12	246.4
	20.6	1,035	116.5			50.0	42	267.6
	31.8	26	171.1			65.0	16	323.8
	34.9	11	185.1		Ø 270	23.8	15	144.5
	41.8	14	214.6					
	45.0	17	227.5					
	47.5	24	237.2					
	50.0	25	246.6					

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Stock

Tel: +33 3 44 77 30 00

First choice

Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 270	25.4	21	153.2		Ø 273	8.7	121	56.7
	27.0	156	161.8			8.8	1,051	57.3
	40.0	32	226.9			8.8	14	57.3
Ø 273	2.9	525	19.3			8.9	41	58.0
	3.2	60	21.3			8.9	319	58.0
	3.6	247	23.9			9.0	383	58.6
	4.0	2,310	26.5			9.0	89	58.6
	4.5	387	29.8			9.1	32	59.2
	4.5	183	29.8			9.1	1,056	59.2
	5.0	1,269	33.0			9.2	306	59.9
	5.0	24	33.0			9.2	2,952	59.9
	5.1	257	33.7			9.3	419	60.5
	5.4	815	35.6			9.3	3,278	60.5
	5.4	952	35.6			9.5	262	61.7
	5.5	120	36.3			9.5	672	61.7
	5.5	75	36.3			9.6	22	62.4
	5.6	192	36.9			9.9	68	64.2
	5.6	152	36.9			10.0	1,894	64.9
	5.7	10	37.6			10.0	416	64.9
	5.9	17	38.9			10.2	291	66.1
	5.9	1,134	38.9			10.2	502	66.1
	6.3	14,117	41.4			10.3	29	66.7
	6.3	163	41.4			10.7	46	69.2
	6.4	126	42.1			11.1	105	71.7
	6.4	200	42.1			11.1	206	71.7
	6.5	3,595	42.7			11.4	366	73.5
	6.5	2,817	42.7			11.5	90	74.2
	6.6	59	43.4			11.8	25	76.0
	6.7	12	44.0			11.9	76	76.6
	6.7	46	44.0			12.3	46	79.1
	7.0	12	45.9			12.5	75	80.3
	7.1	270	46.6			12.5	10	80.3
	7.1	223	46.6			12.6	34	80.9
	7.3	14	47.8			12.7	56	81.5
	7.5	233	49.1			12.7	261	81.5
	7.8	289	51.0			13.0	14	83.4
	7.8	23	51.0			13.0	2,540	83.4
	7.9	12	51.6			13.1	51	84.0
	7.9	188	51.6			13.5	1,577	86.4
	8.0	2,769	52.3			13.5	172	86.4
	8.0	125	52.3			13.8	4,929	88.2
	8.3	105	54.2			13.9	296	88.8
	8.4	2,173	54.8			14.0	442	89.4
	8.7	84	56.7			14.0	108	89.4
						14.2	66	90.6

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

First choice

Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 273	14.3	2,873	91.2		Ø 279	25.4	12	158.9
	14.3	2,302	91.2			26.5	23	165.0
	15.0	134	95.4			27.0	31	167.8
	15.1	3,624	96.0			28.6	44	176.6
	15.1	2,722	96.0			29.4	20	181.0
	15.5	1,427	98.4			30.2	83	185.3
	15.9	307	100.8			31.8	107	193.9
	15.9	275	100.8			33.3	60	201.8
	16.7	409	105.6			34.9	69	210.1
	17.5	238	110.3			36.5	157	218.3
	18.3	1,950	114.9			38.1	40	226.4
	19.1	52	119.6			40.0	56	235.8
	19.8	35	123.6			45.0	38	259.7
	20.2	297	125.9			50.0	220	282.4
	20.6	59	128.2			60.0	17	324.1
	21.4	444	132.8			63.0	21	335.6
	22.2	179	137.3			70.0	16	360.8
	23.0	891	141.8			75.0	12	377.3
	23.8	232	146.3		Ø 284	35.0	50	214.9
	24.6	49	150.7			37.0	24	225.4
	25.4	277	155.1			38.0	138	230.5
	26.2	318	159.5			40.0	78	240.7
	27.0	71	163.8			42.0	27	250.7
	28.6	118	172.4			63.0	64	343.4
	29.4	40	176.6		Ø 287	29.4	42	186.8
	30.2	1,005	180.8			35.0	53	217.5
	30.5	20	182.4			40.0	112	243.7
	31.8	504	189.2			47.0	12	278.2
	33.3	92	196.9			60.0	15	335.9
	34.0	52	200.4			65.0	15	355.9
	34.9	92	204.9			75.0	114	392.1
	35.4	483	207.4			77.0	110	398.8
	36.5	22	212.9		Ø 289	25.4	12	165.1
	38.1	75	220.7			38.6	18	238.4
	40.0	25	229.8			40.0	30	245.6
	42.5	29	241.6			43.0	26	260.9
	45.0	96	253.0			47.5	124	282.9
	47.5	18	264.2			63.0	66	351.1
	50.0	170	275.0		Ø 292	25.4	19	167.0
	52.5	11	285.5			31.8	17	204.1
	55.0	23	295.7			32.4	103	207.4
	65.0	51	333.4					
	70.0	45	350.4					
	75.0	18	366.2					

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

First choice
Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 292	33.3	19	212.5		Ø 305	31.8	164	214.3
	36.5	16	230.0			33.3	130	223.1
	38.1	34	238.6			34.9	49	232.5
	40.0	134	248.6			36.5	15	241.7
	43.5	243	266.6			37.5	20	247.4
	45.0	61	274.1			38.1	86	250.8
	47.5	112	286.4			40.0	58	261.4
	50.0	21	298.4			45.0	22	288.5
	60.0	19	343.3			47.5	22	301.6
	65.0	55	363.9			72.0	45	413.7
Ø 298	12.4	296	87.3		Ø 310	24.6	12	173.1
	13.5	60	94.7			25.4	12	178.3
	13.5	468	94.7			31.8	11	218.2
	13.6	1,057	95.4			33.3	31	227.2
	14.8	204	103.4			34.9	69	236.8
	15.1	666	105.4			36.5	15	246.2
	15.9	439	110.6			38.1	11	255.5
	17.5	1,911	121.1			40.0	18	266.3
	19.1	13	131.4			42.5	28	280.4
	21.4	36	146.0			50.0	17	320.6
	25.4	84	170.8			53.0	16	335.9
	27.0	102	180.5		Ø 315	31.5	34	220.2
	28.6	158	190.0			33.3	68	231.3
	30.2	185	199.5			55.0	46	352.7
	31.8	250	208.8		Ø 318	6.4	21	49.2
	33.3	140	217.4			16.7	33	124.1
	34.9	85	226.5			26.0	10	187.2
	35.0	207	227.0			27.0	23	193.8
	36.5	97	235.4			28.6	14	204.1
	38.1	94	244.2			30.2	17	214.4
	40.0	76	254.5			31.8	112	224.5
	41.5	12	262.5			33.3	77	233.8
	42.5	26	267.8			38.1	21	263.0
	45.0	71	280.8			40.0	12	274.2
	47.5	30	293.4			41.0	29	280.1
	55.0	69	329.6			47.5	12	316.9
	60.0	24	352.2			50.0	28	330.5
Ø 305	6.4	914	47.1			52.5	16	343.8
	23.0	12	160.0			55.0	23	356.7
	24.6	35	170.1			57.5	23	369.4
	25.4	38	175.1			60.0	24	381.8
	29.4	25	199.8					
	30.2	159	204.7					

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

First choice
Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 323	4.0	27	31.5		Ø 323	12.3	28	94.2
	4.0	31	31.5			12.5	536	95.7
	4.5	988	35.3			12.7	1,660	97.2
	4.5	59	35.3			12.7	140	97.2
	5.0	1,794	39.2			13.0	25	99.4
	5.1	45	40.0			13.1	28	100.1
	5.6	464	43.8			13.9	44	106.0
	5.6	69	43.8			14.3	288	108.9
	5.9	107	46.1			14.3	72	108.9
	5.9	981	46.1			14.7	22	111.8
	6.0	30	46.9			15.1	17	114.7
	6.3	4,327	49.2			15.1	40	114.7
	6.3	85	49.2			15.9	884	120.4
	6.4	160	50.0			15.9	1,645	120.4
	6.4	438	50.0			16.0	335	121.1
	6.5	1,573	50.7			17.5	956	131.8
	6.7	11	52.3			17.5	3,649	131.8
	6.7	74	52.3			19.1	2,106	143.2
	7.1	1,257	55.3			20.0	55	149.5
	7.1	198	55.3			21.4	29	159.2
	7.5	105	58.4			23.8	12	175.6
	7.9	96	61.4			25.4	138	186.4
	8.0	2,280	62.1			27.0	273	197.1
	8.0	166	62.1			28.6	1,118	207.7
	8.3	249	64.4			29.4	464	212.9
	8.3	116	64.4			30.2	152	218.1
	8.4	337	65.2			31.8	859	228.4
	8.4	14	65.2			33.3	638	237.9
	8.7	18	67.4			34.9	60	248.0
	8.7	28	67.4			36.5	178	257.9
	8.8	676	68.2			37.5	35	264.0
	9.1	18	70.4			38.1	982	267.7
	9.1	182	70.4			40.0	63	279.2
	9.5	1,875	73.4			42.5	164	294.0
	9.5	1,350	73.4			50.0	287	336.6
	9.9	98	76.4			65.0	13	413.6
	10.0	1,007	77.2			77.5	13	469.2
	10.0	13	77.2		Ø 325	5.0	71	39.5
	10.3	161	79.4			5.6	15	44.1
	10.3	49	79.4			7.1	23	55.7
	11.0	238	84.6			7.9	18	61.8
	11.1	11	85.4			9.9	34	76.9
	11.1	183	85.4			11.1	11	85.9
	11.5	21	88.3			13.1	52	100.8
	11.9	51	91.3					

Tel: +33 3 44 77 30 00
stad@stad.fr

www.stad.fr



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

■ First choice
■ Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 327	8.3	22	65.2		Ø 339	19.1	45	150.7
	10.3	10	80.4			31.8	11	240.9
	11.9	40	92.5			34.9	12	261.7
	30.2	11	221.1			47.5	30	341.5
Ø 330	12.7	13	99.4		Ø 343	12.5	80	101.9
	28.6	13	212.6			12.7	23	103.5
	29.4	29	218.0			13.1	13	106.6
	30.2	69	223.3			15.5	87	125.2
	33.3	19	243.7			15.9	557	128.3
	36.5	28	264.2			18.3	49	146.5
	38.1	18	274.3			40.0	12	298.9
	50.0	14	345.3					
Ø 333	42.6	257	305.1		Ø 350	12.3	11	102.4
	43.0	13	307.5			15.9	27	131.0
						19.1	732	155.9
Ø 336						70.0	159	483.4
	32.0	117	239.9		Ø 355	4.5	183	38.9
	35.5	44	263.1			4.5	43	38.9
	36.5	78	269.6			5.1	21	44.0
	40.0	10	292.0			5.6	377	48.3
Ø 339	47.5	18	338.0			5.6	65	48.3
	9.1	10	74.0			5.9	126	50.8
	9.5	23	77.2			6.0	455	51.6
	9.6	66	78.0			6.0	57	51.6
	9.7	108	78.8			6.3	2,554	54.2
	9.7	580	78.8			6.3	480	54.2
	10.9	168	88.2			6.4	18	55.0
	11.1	41	89.8			6.4	19	55.0
	11.9	16	96.0			6.5	1,487	55.9
	11.9	92	96.0			7.1	681	60.9
	12.2	28	98.3			7.1	171	60.9
	12.2	4,201	98.3			7.5	42	64.3
	12.3	47	99.1			7.9	44	67.6
	13.1	1,907	105.3			8.0	2,066	68.5
	14.3	63	114.5			8.3	16	71.0
	15.1	476	120.6			8.5	12	72.6
	15.5	84	123.7			8.7	12	74.3
	15.5	52	123.7			8.8	36	75.1
	15.9	947	126.7			9.1	40	77.6
	16.5	74	131.2			9.5	122	80.9
	16.7	477	132.7			9.5	190	80.9
	17.5	97	138.8			9.9	30	84.3
						10.0	1,284	85.1

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

First choice

Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 355	10.3	714	87.6		Ø 360	25.8	36	212.6
	10.3	192	87.6			27.0	73	221.7
	11.1	62	94.1			28.6	37	233.7
	11.9	31	100.7			30.2	61	245.6
	12.3	11	104.0			32.2	15	260.3
	12.5	162	105.6			34.9	44	279.8
	12.5	28	105.6			35.4	37	283.4
	12.7	64	107.2			40.0	20	315.7
	12.7	19	107.2			42.0	67	329.4
	14.3	169	120.2			70.0	11	500.6
	14.3	36	120.2		Ø 365	19.8	55	168.6
	15.1	12	126.6			20.6	30	175.0
	15.9	899	133.0			25.4	14	212.7
	15.9	654	133.0			27.0	82	225.1
	16.0	621	133.8			28.6	37	237.3
	16.3	29	136.2			30.2	182	249.4
	16.7	141	139.3			31.0	19	255.4
	17.5	1,911	145.7			31.8	29	261.3
	17.5	434	145.7		Ø 368	19.1	12	164.3
	19.1	15	158.2			22.2	15	189.3
	19.1	247	158.2			23.0	60	195.7
	19.8	126	163.7			23.8	36	202.0
	20.0	36	165.2			24.6	32	208.3
	20.6	375	169.9			25.4	57	214.6
	21.0	60	173.0			27.0	282	227.1
	24.6	11	200.4			28.6	589	239.4
	25.0	39	203.5			29.4	383	245.5
	27.0	38	218.4			30.2	1,118	251.6
	30.6	2,029	244.8		Ø 370	31.8	173	263.7
	31.8	452	253.5			33.3	59	274.9
	32.8	14	260.6			34.9	21	286.7
	33.3	73	264.2			36.5	10	298.4
	34.9	155	275.5			38.1	30	310.0
	35.0	410	276.2			70.0	18	514.4
	36.5	195	286.7		Ø 373	31.8	163	265.2
	38.1	74	297.8			26.5	105	226.5
	40.0	160	310.7			30.0	236	253.8
	42.5	107	327.5			31.4	42	264.5
	45.0	35	344.0			32.6	63	273.7
	50.0	37	376.1			34.0	76	284.3
	62.5	14	450.9			36.0	36	299.2
	65.0	14	464.9					
	75.0	16	517.9					
	77.5	13	530.4					

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

First choice
Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m	Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 373	38.1	19	314.7	Ø 394	45.0	63	387.3
	40.0	18	328.5		48.0	18	409.6
	50.0	33	398.3	Ø 401	55.0	64	469.3
Ø 377	4.0	11	36.8		3.6	20	35.7
	5.1	12	46.8	Ø 406	4.0	33	39.7
	6.0	37	54.9		4.5	23	44.6
	7.0	11	63.9		5.1	23	50.4
	8.0	12	72.8		5.6	77	55.3
	8.7	16	79.0		5.6	366	55.3
	9.1	33	82.6		5.9	24	58.2
	9.5	20	86.1		5.9	331	58.2
	11.9	37	107.1		6.0	62	59.2
	27.0	27	233.1		6.3	3,081	62.1
	33.3	28	282.3		6.3	575	62.1
	34.9	64	294.4		6.4	56	63.1
	36.5	31	306.5		6.4	69	63.1
	38.1	21	318.4		6.5	62	64.0
	40.0	10	332.4		6.7	23	66.0
	45.0	15	368.5		7.1	3,690	69.8
	50.0	26	403.2		7.1	380	69.8
Ø 381	7.5	12	69.1		7.3	47	71.8
	25.4	1,283	222.8		7.5	5,666	73.7
	27.0	33	235.7		7.5	66	73.7
	30.2	12	261.3		7.9	76	77.6
	33.3	43	285.5		7.9	435	77.6
	34.9	33	297.9		8.0	1,757	78.5
	36.5	100	310.1		8.0	40	78.5
	38.1	86	322.2		8.3	159	81.4
	39.5	47	332.7		8.7	57	85.2
	40.0	96	336.4		8.7	176	85.2
	43.5	14	362.1		8.8	634	86.2
	47.5	26	390.7		8.8	177	86.2
	50.0	53	408.2		9.0	74	88.1
Ø 390	33.0	13	290.5		9.1	170	89.1
	37.5	10	326.0		9.2	18	90.0
Ø 394	10.3	12	97.5		9.2	12	90.0
	10.7	12	101.1		9.5	1,295	92.9
	13.1	12	123.1		9.5	889	92.9
	13.5	12	126.7		9.9	36	96.7
	36.5	33	321.8		9.9	195	96.7
	40.0	64	349.2		10.0	619	97.7
					10.0	12	97.7
					10.3	28	100.5

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

First choice

Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 406	10.3	134	100.5		Ø 406	27.0	11	252.4
	10.7	40	104.3			28.6	11	266.2
	11.0	51	107.2			30.2	31	279.9
	11.1	1,376	108.1			30.6	46	283.3
	11.1	2,239	108.1			31.8	95	293.5
	11.5	59	111.9			33.3	120	306.1
	11.9	15	115.7			34.9	317	319.4
	11.9	74	115.7			36.5	123	332.6
	12.3	41	119.4			38.1	53	345.7
	12.5	2,356	121.3			39.1	38	353.8
	12.5	18	121.3			40.0	236	361.1
	12.7	113	123.2			42.5	24	381.0
	12.7	565	123.2			43.7	42	390.5
	13.1	97	126.9			45.0	71	400.6
	13.5	204	130.7			47.5	35	420.0
	13.9	139	134.4			50.0	60	439.0
	13.9	120	134.4			52.5	11	457.7
	14.3	562	138.1			55.0	32	476.1
	14.3	788	138.1			57.5	18	494.2
	14.7	38	141.9			60.0	24	512.0
	15.0	23	144.6		Ø 410	19.1	1,010	184.1
	15.1	120	145.6			19.1	2,327	184.1
	15.9	66	153.0			23.8	12	226.7
	16.0	258	153.9			34.9	109	322.9
	16.3	34	156.7			38.1	11	349.4
	16.7	175	160.3			40.0	109	365.0
	17.5	461	167.7			45.0	63	405.1
	17.5	499	167.7		Ø 415	7.5	23	75.4
	17.9	12	171.3			47.5	16	430.5
	18.0	507	172.2		Ø 419	26.4	13	255.6
	18.0	600	172.2			29.4	17	282.5
	18.3	39	175.0			30.2	54	289.6
	19.1	691	182.2			31.8	23	303.7
	19.1	4,491	182.2			33.3	15	316.8
	20.0	32	190.4			36.5	32	344.3
	20.0	21	190.4			38.1	29	357.9
	20.6	2,994	195.8			42.5	11	394.6
	21.4	151	203.0			55.0	51	493.7
	22.2	12	210.1			70.0	12	602.5
	23.0	24	217.2		Ø 426	3.6	20	37.5
	23.8	11	224.3			5.9	50	61.1
	25.0	45	234.9					
	25.4	159	238.4					
	26.2	121	245.4					
	26.6	32	248.9					

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

First choice

Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 426	6.0	21	62.1		Ø 457	7.1	524	78.8
	6.3	24	65.2			7.1	244	78.8
	6.4	47	66.2			7.3	685	81.0
	6.7	80	69.3			7.3	701	81.0
	7.0	23	72.3			7.5	26	83.1
	7.1	250	73.3			7.7	153	85.3
	7.1	78	73.3			7.9	40	87.5
	7.9	31	81.5			8.0	1,108	88.6
	8.0	78	82.5			8.0	29	88.6
	8.3	37	85.5			8.2	12	90.8
	8.7	27	89.5			8.3	24	91.8
	9.0	57	92.6			8.3	31	91.8
	9.1	51	93.6			8.7	180	96.2
	9.5	86	97.6			8.7	12	96.2
	10.3	86	105.6			8.8	2,079	97.3
	16.7	32	168.6			9.0	6,772	99.4
	21.4	12	213.5			9.1	25	100.5
	40.0	22	380.8			9.5	199	104.8
Ø 431	7.1	24	74.2			9.5	43	104.8
						9.8	1,852	108.1
Ø 437	37.0	20	365.0			9.9	12	109.2
						10.0	3,900	110.2
						10.0	36	110.2
Ø 445	42.5	12	421.9			10.3	21	113.5
						10.3	31	113.5
						11.0	34	121.0
Ø 452	35.0	12	359.9			11.1	329	122.1
						11.1	99	122.1
						11.5	29	126.3
Ø 457	3.2	12	35.8			11.9	56	130.6
	4.5	12	50.2			12.3	10	134.9
	5.0	145	55.7			12.5	979	137.0
	5.0	19	55.7			12.7	31	139.2
	5.1	68	56.8			12.7	197	139.2
	5.1	278	56.8			13.5	113	147.7
	5.6	17	62.3			13.5	71	147.7
	5.6	47	62.3			14.0	24	153.0
	5.9	20	65.6			14.3	331	156.1
	5.9	14	65.6			14.3	31	156.1
	6.3	1,179	70.0			14.7	10	160.3
	6.3	696	70.0			15.5	12	168.8
	6.4	12	71.1			15.9	16	173.0
	6.4	29	71.1			16.0	444	174.0
	6.5	99	72.2			20.0	48	215.5
	6.5	12	72.2			20.3	1,773	218.6
	6.7	70	74.4					

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

■ First choice
■ Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 457	20.3	2,350	218.6		Ø 508	6.3	2,056	77.9
	20.6	23	221.7			6.3	233	77.9
	22.2	44	238.1			6.4	20	79.2
	22.2	64	238.1			6.4	79	79.2
	24.6	13	262.3			6.7	12	82.8
	25.4	128	270.4			6.8	97	84.1
	25.4	111	270.4			6.8	33	84.1
	29.4	27	310.0			7.0	12	86.5
	31.8	11	333.5			7.1	3,874	87.7
	31.8	381	333.5			7.1	888	87.7
	35.5	11	369.0			7.5	65	92.6
	38.1	24	393.6			7.5	279	92.6
Ø 465	30.2	12	323.8		Ø 508	7.9	266	97.4
						7.9	331	97.4
						8.0	1,815	98.6
	11.0	24	125.3			8.0	90	98.6
	11.1	685	126.4			8.2	12	101.1
	11.5	12	130.9			8.3	175	102.3
	12.3	11	139.7			8.7	33	107.1
	12.7	95	144.2			8.7	215	107.1
	14.3	36	161.8			8.8	623	108.3
	14.7	101	166.1			8.8	12	108.3
	15.1	16	170.5			9.0	2,031	110.8
	15.1	925	170.5			9.1	13	112.0
Ø 473	16.7	12	187.9		Ø 508	9.1	288	112.0
	17.5	42	196.6			9.2	57	113.2
	18.3	308	205.2			9.5	412	116.8
						9.5	362	116.8
	15.9	13	180.4			9.9	84	121.6
	18.3	13	206.6			10.0	1,913	122.8
	19.8	12	222.8			10.0	70	122.8
						10.3	12	126.4
	6.3	12	76.7			10.3	116	126.4
						10.7	13	131.2
	21.0	10	248.6			11.0	236	134.8
						11.0	34	134.8
Ø 476	4.0	70	49.7		Ø 508	11.1	517	136.0
	4.5	132	55.9			11.1	1,443	136.0
	5.0	113	62.0			11.5	10	140.8
	5.0	96	62.0			11.5	146	140.8
	5.1	131	63.3			11.9	11	145.6
	5.6	311	69.4			11.9	151	145.6
	5.6	225	69.4			12.0	42	146.8
	5.9	34	73.1			12.3	142	150.4
	5.9	183	73.1			12.5	3,028	152.8

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

First choice
Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 508	12.5	69	152.8		Ø 508	30.6	23	360.3
	12.7	229	155.1			30.6	35	360.3
	12.7	113	155.1			31.8	30	373.5
	13.1	19	159.9			32.5	43	381.1
	13.5	38	164.6			34.4	12	401.8
	13.9	203	169.4			34.9	12	407.2
	13.9	303	169.4			35.4	121	412.6
	14.0	155	170.6			35.4	24	412.6
	14.3	115	174.1			38.1	68	441.5
	14.3	17	174.1			39.1	10	452.2
	14.7	26	178.8			41.5	12	477.5
	14.9	60	181.2		Ø 513	18.3	12	223.3
	14.9	399	181.2			18.7	12	228.0
	15.1	100	183.6		Ø 515	7.9	29	98.8
	15.1	89	183.6			36.0	13	425.3
	15.7	18	190.6		Ø 521	6.4	12	81.2
	15.9	73	193.0			7.1	36	90.0
	15.9	290	193.0			8.0	108	101.2
	16.0	179	194.1			9.9	20	124.8
	16.3	13	197.7			11.1	12	139.6
	16.7	12	202.3			14.7	12	183.5
	17.5	282	211.7			16.3	10	202.9
	17.5	63	211.7			19.1	20	236.4
	17.9	138	216.4			25.0	12	305.8
	18.3	36	221.0		Ø 527	20.6	92	257.3
	18.7	25	225.7					
	19.1	112	230.3		Ø 530	5.1	23	66.0
	19.1	311	230.3			5.6	22	72.4
	19.5	30	234.9			5.9	59	76.3
	20.0	1,043	240.7			6.0	24	77.5
	20.6	431	247.6			6.4	67	82.6
	20.6	184	247.6			6.7	51	86.5
	21.4	10	256.8			7.0	439	90.3
	21.6	21	259.1			7.0	754	90.3
	22.2	24	266.0			7.1	72	91.6
	25.0	1,385	297.8			7.1	161	91.6
	25.4	842	302.3			7.5	42	96.6
	25.4	21	302.3			7.9	297	101.7
	27.0	35	320.3			8.0	372	103.0
	27.8	375	329.2			8.0	1,127	103.0
	27.8	10	329.2			8.3	210	106.8
	29.5	53	348.1					
	29.5	24	348.1					
	29.6	32	349.2					
	30.2	15	355.9					

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

First choice

Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 530	9.0	24	115.6		Ø 558	8.0	53	108.5
	9.0	106	115.6			8.7	132	117.9
	9.1	28	116.9			9.1	29	123.2
	9.5	81	121.9			9.5	23	128.5
	9.9	144	127.0			9.5	25	128.5
	9.9	12	127.0			9.9	12	133.8
	10.0	350	128.2			10.0	27	135.1
	10.0	20	128.2			10.3	43	139.1
	10.3	21	132.0			10.3	21	139.1
	11.1	66	142.0			10.7	12	144.4
	11.9	12	152.1			11.0	12	148.4
	12.3	60	157.0			12.5	172	168.2
	12.7	22	162.0			12.7	12	170.8
	13.1	30	167.0			13.9	11	186.5
	13.5	21	172.0			14.3	33	191.7
	13.9	672	176.9			14.3	104	191.7
	14.0	24	178.2			18.3	188	243.6
	14.3	62	181.9			19.1	41	253.8
	15.1	12	191.7			20.0	977	265.4
	15.5	108	196.7			20.0	51	265.4
	18.3	32	230.9			20.6	85	273.0
	19.1	24	240.7			20.6	52	273.0
	21.4	12	268.4			22.2	12	293.3
	23.8	45	297.1			23.0	11	303.5
	25.0	99	311.4			23.8	24	313.6
	27.0	33	334.9			25.0	1,306	328.6
	28.0	233	346.6			25.4	36	333.6
	29.4	60	363.0			25.4	51	333.6
Ø 540	25.4	14	322.4			38.1	11	488.5
	31.8	119	398.6			38.1	287	488.5
	31.8	23	398.6		Ø 568	13.0	242	177.9
Ø 546	15.9	18	207.9			13.0	81	177.9
						23.6	30	316.9
Ø 558	5.1	30	69.5		Ø 575	22.0	80	300.0
	5.6	132	76.3			22.0	106	300.0
	5.6	61	76.3		Ø 600	9.1	10	132.6
	5.9	40	80.3			25.4	10	359.9
	6.3	395	85.7		Ø 609	5.0	12	74.5
	6.3	57	85.7			5.1	12	76.0
	6.4	28	87.1			5.6	130	83.3
	6.7	22	91.1			5.9	15	87.8
	7.1	12	96.5					
	7.1	12	96.5					

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

First choice

Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 609	6.3	993	93.6		Ø 609	15.7	24	229.7
	6.3	12	93.6			15.9	288	232.6
	6.4	12	95.1			15.9	57	232.6
	7.1	1,811	105.4			16.0	2,162	234.0
	7.1	34	105.4			16.7	16	243.9
	7.5	42	111.3			17.5	61	255.3
	7.9	18	117.1			17.5	211	255.3
	7.9	47	117.1			17.8	97	259.5
	8.0	2,487	118.6			17.8	668	259.5
	8.0	25	118.6			17.9	40	260.9
	8.3	78	123.0			18.0	19	262.4
	8.7	12	128.8			18.2	18	265.2
	8.7	19	128.8			18.3	21	266.6
	8.8	340	130.3			18.9	17	275.1
	9.0	1,688	133.2			19.0	86	276.5
	9.1	1,684	134.6			19.1	41	277.9
	9.1	1,259	134.6			19.1	93	277.9
	9.5	247	140.5			20.0	1,017	290.5
	9.5	204	140.5			20.6	33	298.9
	9.9	33	146.3			21.8	12	315.7
	10.0	1,114	147.7			22.2	18	321.3
	10.0	20	147.7			22.2	28	321.3
	10.3	59	152.1			22.8	30	329.6
	11.0	112	162.2			23.0	12	332.4
	11.1	81	163.7			23.8	20	343.5
	11.1	49	163.7			23.8	27	343.5
	11.2	16	165.1			24.6	413	354.5
	11.3	10	166.6			25.0	1,970	360.1
	11.5	64	169.5			26.4	116	379.3
	11.9	36	175.2			26.4	12	379.3
	12.0	14	176.7			27.0	12	387.5
	12.3	32	181.0			28.6	294	409.4
	12.5	7,347	183.9			28.6	16	409.4
	12.5	38	183.9			29.6	117	423.0
	12.7	441	186.8			30.0	290	428.4
	12.7	434	186.8			31.2	19	444.6
	13.1	39	192.5			31.8	73	452.7
	13.5	13	198.3			31.8	23	452.7
	13.9	14	204.0			33.3	38	472.8
	14.0	5,559	205.4			36.5	156	515.3
	14.0	36	205.4			46.0	12	638.7
	14.2	44	208.3		Ø 611	17.0	12	249.0
	14.3	97	209.7					
	14.3	83	209.7		Ø 620			
	14.5	44	212.6			7.1	20	107.3

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

First choice
Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 620	7.5	11	113.3		Ø 660	11.9	11	190.2
	7.9	113	119.3			12.0	12	191.8
	8.3	20	125.2			12.5	881	199.6
	9.5	11	143.0			15.9	360	252.6
	10.3	12	154.9			15.9	270	252.6
Ø 630						16.0	1,226	254.1
	6.3	23	96.9			17.5	71	277.3
	7.9	15	121.2			17.6	242	278.8
	8.0	51	122.7			17.6	46	278.8
	8.3	12	127.3			19.1	1,111	301.9
	9.0	12	137.8			19.1	82	301.9
	9.1	43	139.3			20.0	823	315.7
	9.9	18	151.4			21.8	17	343.1
	10.0	12	152.9			22.2	91	349.2
	12.0	150	182.9			25.0	1,081	391.5
Ø 655	27.0	117	418.2		Ø 666	22.2	155	352.5
	27.0	50	418.2			22.2	25	352.5
Ø 660	5.0	17	80.8		Ø 670	9.5	13	154.7
	5.1	11	82.4			39.1	21	608.4
	5.9	22	95.2		Ø 680	9.5	12	157.1
	6.3	388	101.6			28.6	32	459.5
	6.3	36	101.6			28.6	71	459.5
	6.4	11	103.2		Ø 685	13.0	16	215.4
	7.1	11	114.3					
	7.9	11	127.0		Ø 686	13.0	237	215.8
	8.0	312	128.6			13.0	175	215.8
	8.0	24	128.6		Ø 700	9.1	12	155.1
	8.7	146	139.7					
	8.7	289	139.7		Ø 711	4.6	20	80.1
	8.8	48	141.3			5.0	214	87.1
	9.1	113	146.1			5.0	170	87.1
	9.5	80	152.4			5.1	14	88.8
	9.5	162	152.4			5.6	22	97.4
	9.9	26	158.7			6.0	39	104.3
	10.0	391	160.3			6.3	799	109.5
	10.3	3,168	165.0			6.3	23	109.5
	10.3	720	165.0			6.4	12	111.2
	10.7	51	171.3			6.4	167	111.2
	10.7	20	171.3			6.7	245	116.4
	11.1	451	177.6					
	11.1	4,746	177.6					
	11.7	14	187.1					

Tel: +33 3 44 77 30 00
stad@stad.fr

www.stad.fr



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

First choice

Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 711	6.7	25	116.4		Ø 711	16.7	27	286.0
	6.8	12	118.1			17.5	781	299.3
	7.1	896	123.3			17.5	19	299.3
	7.1	77	123.3			18.0	388	307.6
	7.5	17	130.1			19.0	68	324.3
	7.6	37	131.8			19.1	41	325.9
	7.9	222	137.0			20.0	853	340.8
	7.9	304	137.0			22.2	264	377.1
	8.0	2,112	138.7			23.1	97	391.9
	8.0	114	138.7			25.0	587	423.0
	8.3	45	143.8			25.4	10	429.5
	8.3	1,176	143.8			30.0	296	503.8
	8.7	105	150.7			37.0	52	615.0
	8.7	1,606	150.7			37.2	29	618.2
	8.8	323	152.4		Ø 720	7.9	267	138.7
	8.8	24	152.4			7.9	286	138.7
	9.0	158	155.8			8.0	47	140.5
	9.1	56	157.5			8.3	16	145.7
	9.5	162	164.4			8.7	220	152.6
	9.5	43	164.4			9.0	12	157.8
	9.9	34	171.2			9.0	813	157.8
	9.9	39	171.2			9.1	12	159.5
	10.0	587	172.9			9.1	275	159.5
	10.3	50	178.0			9.5	515	166.5
	11.0	6,895	189.9			9.9	44	173.4
	11.0	27	189.9			9.9	489	173.4
	11.1	84	191.6			10.3	260	180.3
	11.1	21	191.6			11.0	76	192.3
	11.5	10	198.4			11.0	85	192.3
	11.9	19	205.2			11.1	30	194.1
	11.9	17	205.2			13.0	24	226.7
	12.0	22	206.9			14.0	11	243.8
	12.3	12	211.9			14.5	75	252.3
	12.5	3,322	215.3			16.7	20	289.7
	12.5	12	215.3			17.5	22	303.2
	12.7	12	218.7			17.9	23	309.9
	12.7	15	218.7			18.0	11	311.6
	13.1	124	225.5			19.0	60	328.5
	13.1	13	225.5			19.1	28	330.2
	13.9	14	239.0			20.0	22	345.3
	14.0	2,799	240.7			21.0	11	362.0
	15.1	22	259.2			22.2	68	382.0
	15.9	37	272.6			24.6	11	421.9
	16.0	1,573	274.2			26.0	643	445.0
	16.0	28	274.2					

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Stock

Tel: +33 3 44 77 30 00

First choice
Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 720	28.0	59	477.9		Ø 762	12.7	604	234.7
	29.0	210	494.2			12.7	134	234.7
Ø 728	14.3	26	251.7			13.1	48	241.9
						13.2	213	243.8
Ø 730	14.0	120	247.2			13.5	12	249.2
	14.0	18	247.2			13.5	79	249.2
	27.0	10	468.1			13.9	25	256.5
Ø 749	19.2	166	345.6			14.3	450	263.7
						14.3	95	263.7
Ø 755	21.4	10	387.2			14.7	35	270.9
						15.1	17	278.1
Ø 762	5.9	27	110.0			15.5	28	285.4
	6.3	170	117.4			15.9	99	292.6
	6.3	119	117.4			15.9	79	292.6
	6.4	100	119.3			16.0	105	294.4
	6.4	24	119.3			16.0	15	294.4
	7.1	42	132.2			16.1	39	296.2
	7.1	62	132.2			17.1	13	314.1
	7.5	20	139.6			17.5	1,338	321.3
	7.9	54	146.9			17.5	199	321.3
	7.9	213	146.9			17.9	19	328.5
	8.0	1,470	148.8			18.3	17	335.6
	8.3	267	154.3			18.5	11	339.2
	8.7	254	161.6			19.1	16	349.9
	8.7	234	161.6			19.1	72	349.9
	9.1	17	169.0			19.8	36	362.4
	9.1	56	169.0			20.0	520	366.0
	9.5	142	176.3			20.6	146	376.7
	9.5	137	176.3			20.6	24	376.7
	9.9	44	183.6			21.4	39	390.9
	10.0	650	185.5			21.4	12	390.9
	10.3	46	190.9			21.5	10	392.6
	10.3	227	190.9			22.2	24	405.0
	10.7	193	198.3			23.0	10	419.2
	11.1	116	205.6			23.8	118	433.3
	11.1	221	205.6			23.8	12	433.3
	11.5	112	212.9			24.6	20	447.4
	11.9	87	220.1			25.0	487	454.4
	11.9	108	220.1			25.4	108	461.4
	12.0	62	222.0			25.4	29	461.4
	12.3	168	227.4			25.6	74	464.9
	12.5	717	231.1			26.2	21	475.4
	12.5	70	231.1			29.6	246	534.6
						30.2	176	545.0
						35.5	35	636.1

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

First choice

Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 762	38.1	110	680.2		Ø 813	10.3	12	203.9
	38.1	196	680.2			10.7	10	211.7
	38.5	67	687.0			11.1	38	219.5
	39.0	36	695.4			11.5	52	227.3
Ø 774						11.9	71	235.1
	27.0	21	497.4			11.9	42	235.1
	36.5	41	663.9			12.0	53	237.1
Ø 780	43.0	33	775.2			12.3	25	242.9
						12.5	1,908	246.8
Ø 794	38.1	56	697.1			12.7	72	250.7
						12.7	30	250.7
Ø 800	16.3	11	312.6			13.1	50	258.4
	16.3	36	312.6			13.1	25	258.4
	16.7	171	320.1			13.5	48	266.2
Ø 807						13.9	47	273.9
	9.5	23	185.2			14.0	2,415	275.9
	12.7	10	246.6			14.3	11	281.7
	15.9	23	307.5			15.1	16	297.1
	18.9	24	364.1			16.0	1,460	314.5
	19.0	61	366.0			17.0	14	333.7
	20.6	99	396.0			19.1	36	374.0
Ø 813	30.2	12	573.3			19.8	16	387.3
						20.0	394	391.1
	19.1	372	371.1			20.6	12	402.6
Ø 813	19.1	43	371.1			22.2	33	433.0
						25.0	387	485.8
	5.0	261	99.6			25.0	13	485.8
	5.0	105	99.6			25.4	299	493.4
	6.3	1,248	125.3			30.0	257	579.3
	6.3	35	125.3			31.8	19	612.7
	6.4	52	127.3			35.5	20	680.7
	6.7	36	133.2			38.1	38	728.1
	7.1	77	141.1			39.0	36	744.4
	7.9	46	156.9			39.0	1,193	744.4
	8.0	396	158.8			42.5	35	807.6
	8.0	34	158.8		Ø 815			
	8.3	24	164.7			11.0	124	218.1
	8.7	12	172.6		Ø 820			
	8.8	216	174.5			10.0	84	199.8
	8.8	32	174.5			10.3	27	205.7
	9.1	24	180.4			11.1	18	221.4
	9.5	47	188.3			12.3	12	245.0
	9.5	59	188.3			13.0	12	258.7
	9.9	55	196.1			13.9	11	276.3
	10.0	544	198.0			15.0	18	297.8

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Stock

Tel: +33 3 44 77 30 00

First choice

Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 820	15.1	12	299.7		Ø 907	50.0	22	1,056.8
	25.4	24	497.7					
Ø 825	28.0	61	550.4		Ø 914	5.9	22	132.1
	31.6	1,429	618.3			6.3	1,300	141.0
Ø 826						6.3	20	141.0
	23.8	11	470.9			7.1	45	158.8
	26.4	41	520.6			7.1	12	158.8
Ø 827	33.8	48	660.4			7.5	63	167.7
						8.0	845	178.8
Ø 833	33.8	1,863	661.2			8.7	18	194.2
	33.8	11	661.2			9.1	58	203.1
Ø 838						9.5	26	211.9
	32.0	42	632.1			9.8	12	218.5
Ø 849	32.0	48	632.1			9.9	85	220.7
	8.3	16	169.8			10.0	1,396	222.9
	19.1	11	385.7			10.0	20	222.9
Ø 863	39.0	242	768.5			10.3	53	229.6
						11.0	501	245.0
	40.0	23	798.1			11.1	37	247.2
Ø 885						11.5	14	256.0
	7.9	54	166.6			11.9	23	264.7
	9.5	24	200.0			11.9	127	264.7
	10.0	204	210.4			12.0	790	266.9
	10.7	33	224.9			12.0	25	266.9
	11.5	12	241.5			12.3	97	273.5
	12.3	12	258.1			12.5	852	277.9
	12.5	834	262.2			12.5	21	277.9
	12.7	72	266.3			12.7	956	282.3
	13.1	32	274.6			12.7	104	282.3
	13.5	23	282.8			13.0	251	288.9
	14.3	30	299.3			13.0	219	288.9
	16.0	680	334.2			13.1	66	291.1
	20.0	315	415.8			13.5	146	299.8
	25.0	462	516.7			13.5	144	299.8
Ø 895						13.7	17	304.2
	74.0	76	1,480.1			13.9	80	308.6
Ø 900	9.9	16	216.1			14.0	353	310.7
						14.0	13	310.7
Ø 902	50.0	30	1,048.1			14.2	29	315.1
	11.9	26	261.2			14.2	89	315.1
						14.3	90	317.3
						14.7	15	326.0
						15.0	20	332.6
						15.1	49	334.7
						15.9	80	352.2

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Stock

Tel: +33 3 44 77 30 00

First choice
Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 914	16.0	166	354.3		Ø 914	41.0	12	882.7
	16.3	68	360.9			41.9	24	901.2
	16.3	12	360.9			42.5	258	913.4
	16.7	39	369.6			50.0	12	1,065.4
	17.0	11	376.1			50.0	42	1,065.4
	17.3	74	382.6			55.0	13	1,165.2
	17.5	155	386.9			59.0	16	1,244.1
	17.5	105	386.9			60.0	365	1,263.7
	17.8	49	393.4		Ø 917	15.9	11	353.3
	17.8	12	393.4			43.0	172	926.8
	18.0	137	397.7		Ø 920	11.1	60	248.8
	18.2	13	402.1			11.9	13	266.5
	18.3	53	404.2			12.0	24	268.7
	18.7	14	412.9			17.1	15	380.8
	19.0	20	419.4			17.5	12	389.5
	19.1	185	421.5			18.3	25	407.0
	19.1	22	421.5			19.5	11	433.1
	19.8	15	436.6			22.2	12	491.5
	19.9	78	438.8			23.8	36	526.0
	20.0	489	441.0			34.0	12	742.9
	20.2	13	445.3		Ø 927	19.5	14	436.4
	20.6	46	453.9			19.6	20	438.6
	20.6	20	453.9			19.6	21	438.6
	22.2	18	488.3			21.4	44	477.9
	22.2	53	488.3			22.2	10	495.4
	22.9	64	503.3			30.2	12	667.9
	22.9	21	503.3			30.4	1,670	672.2
	23.8	12	522.5			30.7	165	678.6
	24.6	23	539.6			34.1	109	750.9
	25.0	477	548.1			34.9	12	767.8
	27.0	35	590.6		Ø 934	35.2	105	780.3
	27.2	18	594.9					
	28.6	12	624.5		Ø 940	10.3	16	236.2
	29.4	20	641.4			10.7	16	245.2
	30.0	181	654.0			31.8	12	712.3
	30.0	11	654.0			34.9	13	779.0
	31.8	1,921	691.9		Ø 945	35.5	33	796.3
	31.8	21	691.9			38.1	57	852.1
	34.9	5,305	756.6					
	34.9	48	756.6		Ø 952	33.3	22	754.5
	35.5	11	769.1					
	36.5	28	789.9					
	38.1	388	823.0					
	38.1	141	823.0					
	40.0	11	862.2					

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

First choice

Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 952	37.5	33	845.8		Ø 1016	14.3	133	353.3
	40.0	18	899.7			14.3	194	353.3
Ø 965	28.6	83	660.5			14.7	10	363.0
						15.1	33	372.7
Ø 972	27.5	36	640.6			15.5	28	382.5
						15.9	55	392.2
Ø 980	33.3	56	777.5			16.0	1,084	394.6
	40.0	25	927.3			16.7	12	411.6
Ø 1000	23.8	12	573.0			17.0	328	418.8
	24.6	66	591.8			17.1	27	421.3
Ø 1016	6.3	468	156.9			17.5	23	430.9
	8.0	174	198.9			17.5	128	430.9
	8.4	10	208.7			18.0	11	443.0
	8.8	93	218.6			18.7	12	459.9
	9.1	14	226.0			18.7	12	459.9
	9.5	52	235.8			19.0	12	467.2
	9.5	22	235.8			19.1	23	469.6
	10.0	705	248.1			19.1	12	469.6
	10.0	25	248.1			19.5	185	479.2
	10.7	35	265.3			19.8	15	486.5
	11.0	96	272.6			19.8	11	486.5
	11.1	12	275.1			20.0	1,955	491.3
	11.5	15	284.9			20.2	71	496.1
	11.9	20	294.7			20.6	24	505.7
	11.9	74	294.7			21.4	70	524.9
	12.0	219	297.1			22.2	483	544.1
	12.3	243	304.5			22.2	66	544.1
	12.3	35	304.5			22.5	13	551.3
	12.5	2,120	309.4			23.8	67	582.4
	12.5	42	309.4			24.6	62	601.5
	12.7	59	314.2			25.0	853	611.0
	12.7	88	314.2			25.0	34	611.0
	13.0	3,328	321.6			29.4	29	715.3
	13.0	51	321.6			30.0	117	729.5
	13.1	40	324.0			45.0	16	1,077.6
	13.1	117	324.0		Ø 1020	10.0	39	249.1
	13.5	47	333.8			10.3	15	256.5
	13.5	16	333.8			11.0	12	273.7
	13.9	30	343.5			11.1	12	276.2
	14.0	981	346.0			11.1	21	276.2
	14.2	1,171	350.8			11.9	12	295.9
	14.2	67	350.8			11.9	65	295.9
						12.5	11	310.6
						12.7	32	315.5

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

First choice

Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 1020	14.0	12	347.3		Ø 1066	14.3	173	370.9
	15.0	22	371.8			14.3	482	370.9
	15.1	50	374.2			14.5	110	376.0
	15.9	14	393.7			14.7	43	381.1
	16.0	12	396.2			15.1	82	391.4
	17.0	22	420.5			15.2	460	393.9
	18.0	42	444.8			15.3	1,262	396.5
	21.4	18	527.0			15.5	281	401.6
	25.4	15	623.0			15.5	24	401.6
	33.3	21	810.3			15.9	745	411.8
Ø 1024	24.0	21	591.9			15.9	19	411.8
						16.3	36	422.0
						16.7	12	432.2
Ø 1038	30.6	10	760.2			16.7	14	432.2
						17.0	946	439.8
Ø 1045	8.3	12	212.2			17.5	23	452.5
	24.6	14	619.1			18.3	27	472.8
	25.4	20	638.7			18.5	13	477.9
Ø 1054	31.8	38	801.7			18.8	31	485.5
						19.0	46	490.6
						19.1	24	493.1
Ø 1066	7.9	11	206.1			19.1	43	493.1
	9.1	12	237.2			19.5	19	503.3
	9.5	17	247.5			19.8	27	510.9
	9.5	18	247.5			19.8	11	510.9
	9.9	12	257.9			20.6	34	531.1
	10.3	18	268.2			21.0	25	541.2
	10.7	12	278.5			21.0	14	541.2
	11.1	110	288.8			21.4	12	551.3
	11.1	27	288.8			21.8	35	561.4
	11.4	46	296.5			22.2	24	571.5
	11.4	12	296.5			22.2	12	571.5
	11.9	166	309.4			23.0	13	591.6
	11.9	27	309.4			23.8	24	611.7
	12.3	142	319.6			24.6	15	631.8
	12.3	23	319.6			25.4	15	651.8
	12.5	20	324.8			26.2	23	671.9
	12.7	122	329.9			27.0	15	691.8
	12.7	46	329.9			27.4	12	701.8
	13.1	735	340.2			33.5	11	853.0
	13.5	195	350.4			36.5	49	926.7
	13.9	46	360.7			38.1	35	965.8
	14.0	397	363.2		Ø 1072	16.6	257	432.1
	14.0	189	363.2			16.6	88	432.1
	14.2	2,227	368.3					

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Stock

Tel: +33 3 44 77 30 00

First choice

Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 1080	31.0	112	802.0		Ø 1200	11.9	13	348.7
						12.0	102	351.6
Ø 1084	22.8	59	596.7			12.0	65	351.6
						16.7	18	487.3
Ø 1117	6.4	11	175.3		Ø 1216	16.0	70	473.5
	7.1	25	194.3					
	7.9	14	216.1		Ø 1220	7.5	13	224.3
	10.0	535	273.0			8.0	290	239.1
	12.0	16	327.0			9.5	57	283.6
	12.5	326	340.5			9.9	101	295.5
	12.5	78	340.5			10.0	786	298.4
	12.7	102	345.9			10.0	18	298.4
	12.7	16	345.9			10.3	13	307.3
	14.2	273	386.2			10.7	49	319.1
	14.3	91	388.9			11.0	97	328.0
	14.3	58	388.9			11.1	16	330.9
	14.7	11	399.6			11.5	15	342.7
	15.1	111	410.3			11.9	15	354.6
	16.5	55	447.8			12.0	58	357.5
	17.5	272	474.5			12.3	23	366.3
	17.5	31	474.5			12.5	1,100	372.2
	20.6	376	557.0			12.5	12	372.2
	20.6	102	557.0			12.7	121	378.1
	22.2	192	599.4			12.7	29	378.1
	22.2	12	599.4			13.0	336	387.0
	23.0	26	620.5			13.1	764	389.9
	23.5	157	633.7			13.5	46	401.7
	23.8	268	641.7			13.5	265	401.7
	23.8	47	641.7			13.7	23	407.6
	25.1	13	675.9			13.9	29	413.5
	25.4	35	683.8			14.0	979	416.4
	27.0	130	725.8			14.2	264	422.3
	27.0	90	725.8			14.3	47	425.2
	30.5	12	817.3			14.3	48	425.2
	47.5	11	1,252.9			15.0	591	445.8
Ø 1126	13.1	51	359.5			15.0	23	445.8
						15.1	45	448.7
Ø 1145	23.5	11	650.0			15.2	22	451.6
						15.4	55	457.5
Ø 1168	11.5	12	328.0			15.4	13	457.5
	12.5	31	356.2			15.5	154	460.4
	55.0	18	1,509.7			15.9	58	472.2
	163.0	12	4,040.0			15.9	247	472.2
						16.0	824	475.1

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

First choice

Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 1220	16.0	32	475.1		Ø 1222	18.9	150	560.8
	16.3	12	483.9			34.6	176	1,013.2
	16.7	65	495.6			34.6	792	1,013.2
	17.1	28	507.3			36.0	11	1,053.0
	17.5	240	519.0		Ø 1226	15.9	22	474.5
	17.5	182	519.0			17.5	19	521.6
	17.9	28	530.7		Ø 1232	17.5	22	524.2
	18.3	65	542.3			19.1	21	571.3
	18.7	105	554.0			19.8	27	591.9
	19.1	19	565.7			21.4	15	638.9
	19.1	115	565.7			23.4	14	697.5
	19.5	142	577.3			24.6	15	732.5
	19.8	63	586.1		Ø 1238	25.8	14	771.3
	20.0	937	591.9			26.2	17	783.0
	20.2	30	597.7			26.6	29	794.7
	20.2	23	597.7		Ø 1320	10.0	246	323.1
	20.6	24	609.3			12.5	304	403.1
	21.0	72	621.0			60.0	29	1,939.9
	21.4	126	632.6		Ø 1371	62.5	30	2,016.9
	21.8	24	644.2			18.3	10	622.2
	22.0	300	650.0		Ø 1397	38.1	84	1,276.9
	22.2	32	655.8			18.3	15	630.4
	22.6	11	667.4		Ø 1415	18.7	42	643.9
	23.0	27	679.0			18.9	360	650.7
	23.0	31	679.0			18.9	86	650.7
	24.6	33	725.2			18.7	15	644.4
	25.0	465	736.8		Ø 1416	19.1	63	658.0
	25.0	82	736.8			19.5	90	671.6
	25.4	44	748.3			8.0	31	278.6
	25.4	12	748.3		Ø 1420	8.0	24	278.6
	26.2	21	771.4			10.0	81	347.7
	27.0	19	794.4			10.0	42	347.7
	28.0	162	823.1			11.0	281	382.2
	28.6	28	840.3			11.0	31	382.2
	30.0	116	880.4			12.5	144	433.9
	30.2	33	886.2			12.5	13	433.9
	31.8	10	931.8					
	32.6	60	954.6					
	34.6	17	1,011.5					
	36.0	349	1,051.2					
	36.5	39	1,065.3					
	38.1	46	1,110.5					
	38.1	23	1,110.5					
Ø 1222	18.9	374	560.8					

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Date of last update: Apr, 22 2025

Stock

Tel: +33 3 44 77 30 00

First choice

Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 1420	18.0	17	622.4		Ø 1422	19.5	20	674.5
	18.7	31	646.3			19.7	11	681.3
	19.0	22	656.5			19.8	181	684.7
	19.1	22	659.9			20.6	13	712.0
	19.5	11	673.5			21.4	68	739.2
	20.0	334	690.5			21.8	15	752.8
	21.6	464	744.9			21.8	479	752.8
	21.6	12	744.9			22.2	174	766.4
	21.7	22	748.3			22.6	394	780.0
	22.3	28	768.7			23.0	802	793.5
	22.3	80	768.7			23.4	19	807.1
	23.0	257	792.4			23.4	48	807.1
	23.0	243	792.4			23.8	57	820.7
	27.7	187	951.1			23.8	45	820.7
	30.0	91	1,028.4			24.6	23	847.8
						25.4	10	874.9
Ø 1422	7.9	49	275.5		Ø 1438	26.2	11	901.9
	8.0	233	279.0			26.6	11	915.4
	8.0	76	279.0			32.0	12	1,097.0
	9.1	12	317.1			29.8	54	1,034.9
	9.5	43	330.9			29.8	12	1,034.9
	9.5	37	330.9			30.2	14	1,048.5
	9.9	43	344.8		Ø 1524	12.5	467	466.0
	10.0	792	348.2			14.3	18	532.4
	10.0	161	348.2			16.0	509	595.0
	11.0	11	382.8			23.0	12	851.4
	11.1	32	386.2		Ø 1626	12.5	422	497.4
	11.9	33	413.8			16.0	385	635.3
	12.0	11	417.3		Ø 1740	19.8	12	840.0
	12.0	47	417.3			51.0	40	2,203.6
	12.3	28	427.6		Ø 1803	12.5	230	560.0
	12.5	501	434.5			12.7	10	568.9
	12.5	195	434.5			16.0	171	715.4
	12.7	12	441.4		Ø 1829	14.0	237	692.6
	13.9	15	482.7			16.0	308	790.8
	14.3	14	496.4		Ø 2020	16.0	60	861.8
	15.5	31	537.7			20.0	82	1,075.3
	15.9	54	551.4					
	16.0	300	554.8					
	17.5	12	606.2					
	18.0	74	623.3					
	18.2	18	630.1					
	18.7	72	647.2					
	19.1	11	660.8					
	19.1	36	660.8					

Tel: +33 3 44 77 30 00

stad@stad.fr

www.stad.fr



Stock

Tel: +33 3 44 77 30 00

- First choice
- Second choice

Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m		Out. Dia. mm	Wall-thickness mm	Stock m	Weight kg/m
Ø 2220	21.4	10	1,160.3					