Tel: +33 3 44 77 30 00

Technical data of sections UPE

Tel: +33 3 44 77 30 00
stad@stad.fr

www.stad.fr

The informations given in this brochure are indicative without obligations.
All products are stocked outside

Tel: +33 3 44 77 30 00

Technical data of sections UPE

Channels with parallel flanges

Designation		Dimensions						Section properties							
								Strong axis				Weak axis			
	G	H	B	Tw	Tf	R	I	Iy	Wely	Wply	Iy	Iz	Welz	Wplz	Iz
	kg/m	mm	mm	mm	mm	mm	cm2	cm4	cm3	cm3	cm	cm4	cm3	cm3	cm
UPE 80	7.9	80.0	50	4.0	7.0	10	10.10	107	26.80	31.23	3.26	25.41	7.98	14.28	1.59
UPE 100	9.8	100.0	55	4.5	7.5	10	12.50	207	41.37	48.01	4.07	38.21	10.63	19.34	1.75
UPE 120	12.1	120.0	60	5.0	8.0	12	15.40	364	60.58	70.33	4.86	55.40	13.79	25.28	1.90
UPE 140	14.4	140.0	65	5.0	9.0	12	18.40	600	85.64	98.84	5.71	78.70	18.19	33.22	2.07
UPE 160	17.0	160.0	70	5.5	9.5	12	21.70	911	113.90	131.60	6.48	106.80	22.58	41.49	2.22
UPE 180	19.7	180.0	75	5.5	10.5	12	25.10	1,353	150.40	173.00	7.34	143.70	28.56	52.30	2.39
UPE 200	22.8	200.0	80	6.0	11.0	13	29.00	1,909	190.90	220.10	8.11	187.30	34.43	63.28	2.54
UPE 220	26.6	220.0	85	6.5	12.0	13	33.90	2,682	243.90	281.50	8.90	246.40	42.51	78.25	2.70
UPE 240	30.2	240.0	90	7.0	12.5	15	38.50	3,599	299.90	346.90	9.67	310.90	50.08	92.18	2.84
UPE 270	35.2	270.0	95	7.5	13.5	15	44.80	5,255	389.20	451.10	10.83	401.00	60.69	111.60	2.99
UPE 300	44.4	300.0	100	9.5	15.0	15	56.60	7,823	521.50	613.40	11.76	537.70	75.58	136.60	3.08
UPE 330	53.2	330.0	105	11.0	16.0	18	67.80	11,010	667.10	791.90	12.74	681.50	89.66	156.20	3.17
UPE 360	61.2	360.0	110	12.0	17.0	18	77.90	14,830	823.60	982.30	13.79	843.70	105.10	177.80	3.29

Tel: +33 3 44 77 30 00
stad@stad.fr

The informations given in this brochure are indicative without obligations.
All products are stocked outside

Tel: +33 3 44 77 30 00

Technical data of sections UPE

Channels with parallel flanges

Designation		Dimensions						Section properties							
								Strong axis				Weak axis			
	G	H	B	Tw	Tf	R	I	Iy	Wely	Wply	Iy	Iz	Welz	Wplz	Iz
	kg/m	mm	mm	mm	mm	mm	cm2	cm4	cm3	cm3	cm	cm4	cm3	cm3	cm
UPE 400	72.1	400.0	115	13.5	18.0	18	91.90	20,980	1,049.00	1,263.00	15.11	1,045.00	122.60	191.40	3.37