



Technische Daten Profile UB

Tel: +49 2871 238 670



Tel: +49 2871 238 670

stad@stad.fr

www.stad.fr



Technische Daten Profile UB

Britische Universalträgerprofile

Tel: +49 2871 238 670

| Umschreibung | G kg/m | Abmessungen | | | | | | Statische Eigenschaften | | | | | | | |
|-------------------|-----------|-------------|---------|----------|----------|---------|----------------------|-------------------------|-------------------------|-------------------------|----------|-----------------------|-------------------------|-------------------------|----------|
| | | H mm | B mm | Tw mm | Tf mm | R mm | I cm ² | Starke Achse | | | | Schwache Achse | | | |
| | | | | | | | | Iy cm ⁴ | Wely cm ³ | Wply cm ³ | Iy cm | Iz cm ⁴ | Welz cm ³ | Wplz cm ³ | Iz cm |
| UB 152 x 89 x 16 | 16,0 | 152,4 | 89 | 4,5 | 7,7 | 8 | 20,32 | 834 | 109,49 | 123,25 | 6,41 | 89,75 | 20,24 | 31,18 | 2,10 |
| UB 178 x 102 x 19 | 19,0 | 177,8 | 101 | 4,8 | 7,9 | 8 | 24,26 | 1.356 | 152,53 | 171,25 | 7,48 | 136,71 | 27,02 | 41,59 | 2,37 |
| UB 203 x 102 x 23 | 23,1 | 203,2 | 102 | 5,4 | 9,3 | 8 | 29,40 | 2.105 | 207,19 | 234,07 | 8,46 | 163,87 | 32,19 | 49,75 | 2,36 |
| UB 203 x 133 x 25 | 25,1 | 203,2 | 133 | 5,7 | 7,8 | 8 | 31,97 | 2.340 | 230,31 | 257,73 | 8,56 | 307,63 | 46,19 | 70,94 | 3,10 |
| UB 203 x 133 x 30 | 30,0 | 206,8 | 134 | 6,4 | 9,6 | 8 | 38,21 | 2.896 | 280,08 | 314,36 | 8,71 | 384,66 | 57,45 | 88,22 | 3,17 |
| UB 254 x 102 x 22 | 22,0 | 254,0 | 102 | 5,7 | 6,8 | 8 | 28,02 | 2.841 | 223,70 | 259,01 | 10,07 | 119,35 | 23,49 | 37,28 | 2,06 |
| UB 254 x 102 x 25 | 25,2 | 257,2 | 102 | 6,0 | 8,4 | 8 | 32,04 | 3.415 | 265,55 | 305,52 | 10,32 | 148,69 | 29,18 | 46,01 | 2,15 |
| UB 254 x 102 x 28 | 28,3 | 260,4 | 102 | 6,3 | 10,0 | 8 | 36,08 | 4.005 | 307,60 | 352,80 | 10,54 | 178,54 | 34,94 | 54,85 | 2,22 |
| UB 254 x 146 x 31 | 31,1 | 251,4 | 146 | 6,0 | 8,6 | 8 | 39,68 | 4.413 | 351,07 | 393,06 | 10,55 | 447,53 | 61,26 | 94,13 | 3,36 |
| UB 254 x 146 x 37 | 37,0 | 256,0 | 146 | 6,3 | 10,9 | 8 | 47,17 | 5.537 | 432,58 | 483,23 | 10,83 | 570,65 | 77,96 | 119,37 | 3,48 |
| UB 254 x 146 x 43 | 43,0 | 259,6 | 147 | 7,2 | 12,7 | 8 | 54,77 | 6.544 | 504,16 | 566,33 | 10,93 | 677,37 | 91,97 | 141,08 | 3,52 |
| UB 305 x 102 x 25 | 24,8 | 305,1 | 102 | 5,8 | 7,0 | 8 | 31,60 | 4.455 | 292,04 | 342,01 | 11,87 | 122,95 | 24,20 | 38,81 | 1,97 |
| UB 305 x 102 x 28 | 28,2 | 308,7 | 102 | 6,0 | 8,8 | 8 | 35,88 | 5.366 | 347,65 | 402,90 | 12,23 | 155,37 | 30,52 | 48,45 | 2,08 |
| UB 305 x 102 x 33 | 32,8 | 312,7 | 102 | 6,6 | 10,8 | 8 | 41,83 | 6.501 | 415,80 | 480,83 | 12,47 | 194,11 | 37,91 | 60,04 | 2,15 |
| UB 305 x 165 x 40 | 40,3 | 303,4 | 165 | 6,0 | 10,2 | 9 | 51,32 | 8.503 | 560,51 | 623,07 | 12,87 | 764,36 | 92,65 | 141,73 | 3,86 |
| UB 305 x 165 x 46 | 46,1 | 306,6 | 166 | 6,7 | 11,8 | 9 | 58,75 | 9.899 | 645,73 | 720,05 | 12,98 | 895,67 | 108,11 | 165,53 | 3,90 |
| UB 305 x 165 x 54 | 54,0 | 310,4 | 167 | 7,9 | 13,7 | 9 | 68,77 | 11.696 | 753,61 | 846,07 | 13,04 | 1.062,97 | 127,38 | 195,63 | 3,93 |
| UB 356 x 127 x 33 | 33,1 | 349,0 | 125 | 6,0 | 8,5 | 10 | 42,13 | 8.250 | 472,78 | 542,90 | 13,99 | 280,24 | 44,70 | 70,29 | 2,58 |
| UB 356 x 127 x 39 | 39,1 | 353,4 | 126 | 6,6 | 10,7 | 10 | 49,77 | 10.172 | 575,66 | 658,52 | 14,30 | 357,84 | 56,80 | 89,05 | 2,68 |
| UB 356 x 171 x 45 | 45,0 | 351,4 | 171 | 7,0 | 9,7 | 10 | 57,33 | 12.066 | 686,74 | 774,63 | 14,51 | 811,07 | 94,81 | 146,57 | 3,76 |

Tel: +49 2871 238 670

stad@stad.fr

www.stad.fr

Die bereitgestellten Daten dienen der Information, wir übernehmen keinerlei Gewähr.
Alle Materialien sind frei gelagert



Technische Daten Profile UB

Britische Universalträgerprofile

Tel: +49 2871 238 670

| Umschreibung | G kg/m | Abmessungen | | | | | | Statische Eigenschaften | | | | | | | |
|--------------------|-----------|-------------|---------|----------|----------|---------|----------------------|-------------------------|-------------------------|-------------------------|----------|-----------------------|-------------------------|-------------------------|----------|
| | | H mm | B mm | Tw mm | Tf mm | R mm | I cm ² | Starke Achse | | | | Schwache Achse | | | |
| | | | | | | | | Iy cm ⁴ | Wely cm ³ | Wply cm ³ | Iy cm | Iz cm ⁴ | Welz cm ³ | Wplz cm ³ | Iz cm |
| UB 356 x 171 x 51 | 51,0 | 355,0 | 172 | 7,4 | 11,5 | 10 | 64,91 | 14.136 | 796,39 | 896,01 | 14,76 | 968,28 | 112,92 | 174,20 | 3,86 |
| UB 356 x 171 x 57 | 57,0 | 358,0 | 172 | 8,1 | 13,0 | 10 | 72,56 | 16.038 | 895,98 | 1.010,14 | 14,87 | 1.108,21 | 128,71 | 198,75 | 3,91 |
| UB 356 x 171 x 67 | 67,1 | 363,4 | 173 | 9,1 | 15,7 | 10 | 85,49 | 19.463 | 1.071,16 | 1.210,86 | 15,09 | 1.362,08 | 157,28 | 242,97 | 3,99 |
| UB 406 x 140 x 39 | 39,0 | 398,0 | 142 | 6,4 | 8,6 | 10 | 49,65 | 12.508 | 628,54 | 723,68 | 15,87 | 409,81 | 57,80 | 90,85 | 2,87 |
| UB 406 x 140 x 46 | 46,0 | 403,2 | 142 | 6,8 | 11,2 | 10 | 58,64 | 15.685 | 778,03 | 887,63 | 16,35 | 538,06 | 75,68 | 118,15 | 3,03 |
| UB 406 x 178 x 54 | 54,1 | 402,6 | 178 | 7,7 | 10,9 | 10 | 68,95 | 18.722 | 930,05 | 1.054,64 | 16,48 | 1.021,20 | 114,94 | 178,29 | 3,85 |
| UB 406 x 178 x 60 | 60,1 | 406,4 | 178 | 7,9 | 12,8 | 10 | 76,52 | 21.596 | 1.062,80 | 1.199,47 | 16,80 | 1.203,07 | 135,25 | 209,05 | 3,97 |
| UB 406 x 178 x 67 | 67,1 | 409,4 | 179 | 8,8 | 14,3 | 10 | 85,54 | 24.331 | 1.188,62 | 1.346,03 | 16,87 | 1.364,94 | 152,68 | 236,55 | 3,99 |
| UB 406 x 178 x 74 | 74,2 | 412,8 | 180 | 9,5 | 16,0 | 10 | 94,51 | 27.310 | 1.323,16 | 1.500,81 | 17,00 | 1.545,47 | 172,20 | 266,98 | 4,04 |
| UB 457 x 152 x 52 | 52,3 | 449,8 | 152 | 7,6 | 10,9 | 10 | 66,64 | 21.369 | 950,16 | 1.096,05 | 17,91 | 644,96 | 84,64 | 133,30 | 3,11 |
| UB 457 x 152 x 60 | 59,8 | 454,6 | 153 | 8,1 | 13,3 | 10 | 76,23 | 25.500 | 1.121,87 | 1.287,27 | 18,29 | 794,65 | 103,94 | 163,05 | 3,23 |
| UB 457 x 152 x 67 | 67,2 | 458,0 | 154 | 9,0 | 15,0 | 10 | 85,55 | 28.927 | 1.263,19 | 1.453,08 | 18,39 | 912,56 | 118,67 | 186,68 | 3,27 |
| UB 457 x 152 x 74 | 74,2 | 462,0 | 154 | 9,6 | 17,0 | 10 | 94,48 | 32.674 | 1.414,46 | 1.626,59 | 18,60 | 1.046,53 | 135,56 | 213,13 | 3,33 |
| UB 457 x 152 x 82 | 82,1 | 465,8 | 155 | 10,5 | 18,9 | 10 | 104,54 | 36.589 | 1.571,02 | 1.811,50 | 18,71 | 1.184,51 | 152,54 | 240,39 | 3,37 |
| UB 457 x 191 x 67 | 67,1 | 453,4 | 190 | 8,5 | 12,7 | 10 | 85,51 | 29.380 | 1.295,99 | 1.471,03 | 18,54 | 1.452,14 | 152,94 | 237,31 | 4,12 |
| UB 457 x 191 x 74 | 74,3 | 457,0 | 190 | 9,0 | 14,5 | 10 | 94,63 | 33.319 | 1.458,16 | 1.652,73 | 18,76 | 1.671,13 | 175,54 | 272,10 | 4,20 |
| UB 457 x 191 x 82 | 82,0 | 460,0 | 191 | 9,9 | 16,0 | 10 | 104,48 | 37.051 | 1.610,91 | 1.831,29 | 18,83 | 1.870,83 | 195,59 | 303,90 | 4,23 |
| UB 457 x 191 x 89 | 89,3 | 463,4 | 192 | 10,5 | 17,7 | 10 | 113,77 | 41.015 | 1.770,18 | 2.013,65 | 18,99 | 2.089,39 | 217,76 | 338,38 | 4,29 |
| UB 457 x 191 x 98 | 98,3 | 467,2 | 193 | 11,4 | 19,6 | 10 | 125,26 | 45.727 | 1.957,49 | 2.232,41 | 19,11 | 2.347,02 | 243,47 | 378,90 | 4,33 |
| UB 533 x 210 x 82 | 82,2 | 528,3 | 209 | 9,6 | 13,2 | 13 | 104,69 | 47.539 | 1.799,70 | 2.058,63 | 21,31 | 2.007,28 | 192,27 | 300,37 | 4,38 |
| UB 533 x 210 x 92 | 92,1 | 533,1 | 209 | 10,1 | 15,6 | 13 | 117,38 | 55.227 | 2.071,92 | 2.360,10 | 21,69 | 2.389,11 | 228,30 | 355,58 | 4,51 |
| UB 533 x 210 x 101 | 101,0 | 536,7 | 210 | 10,8 | 17,4 | 13 | 128,67 | 61.519 | 2.292,49 | 2.612,03 | 21,87 | 2.691,98 | 256,38 | 399,45 | 4,57 |

Tel: +49 2871 238 670

stad@stad.fr

www.stad.fr



Technische Daten Profile UB

Britische Universalträgerprofile

Tel: +49 2871 238 670

| Umschreibung | G kg/m | Abmessungen | | | | | | Statische Eigenschaften | | | | | | | |
|--------------------|-----------|-------------|---------|----------|----------|---------|----------------------|-------------------------|-------------------------|-------------------------|----------|-----------------------|-------------------------|-------------------------|----------|
| | | H mm | B mm | Tw mm | Tf mm | R mm | I cm ² | Starke Achse | | | | Schwache Achse | | | |
| | | | | | | | | Iy cm ⁴ | Wely cm ³ | Wply cm ³ | Iy cm | Iz cm ⁴ | Welz cm ³ | Wplz cm ³ | Iz cm |
| UB 533 x 210 x 109 | 109,0 | 539,5 | 211 | 11,6 | 18,8 | 13 | 138,87 | 66.822 | 2.477,18 | 2.828,44 | 21,94 | 2.942,71 | 279,19 | 435,79 | 4,60 |
| UB 533 x 210 x 122 | 122,0 | 544,5 | 212 | 12,7 | 21,3 | 13 | 155,40 | 76.043 | 2.793,13 | 3.195,60 | 22,12 | 3.387,52 | 319,73 | 499,71 | 4,67 |
| UB 610 x 229 x 101 | 101,2 | 602,6 | 228 | 10,5 | 14,8 | 13 | 128,92 | 75.780 | 2.515,10 | 2.881,14 | 24,24 | 2.914,73 | 256,13 | 400,25 | 4,75 |
| UB 610 x 229 x 113 | 113,0 | 607,6 | 228 | 11,1 | 17,3 | 13 | 143,95 | 87.319 | 2.874,23 | 3.280,82 | 24,63 | 3.434,01 | 300,96 | 469,26 | 4,88 |
| UB 610 x 229 x 125 | 125,1 | 612,2 | 229 | 11,9 | 19,6 | 13 | 159,34 | 98.610 | 3.221,50 | 3.675,89 | 24,88 | 3.932,13 | 343,42 | 535,43 | 4,97 |
| UB 610 x 229 x 140 | 139,9 | 617,2 | 230 | 13,1 | 22,1 | 13 | 178,20 | 111.777 | 3.622,07 | 4.142,09 | 25,05 | 4.505,25 | 391,42 | 611,45 | 5,03 |
| UB 610 x 229 x 153 | 153,6 | 623,0 | 229 | 14,0 | 24,9 | 13 | 195,68 | 125.134 | 4.017,14 | 4.599,68 | 25,29 | 4.998,26 | 436,53 | 682,34 | 5,05 |
| UB 610 x 305 x 149 | 149,2 | 612,4 | 305 | 11,8 | 19,7 | 17 | 190,04 | 125.876 | 4.110,91 | 4.593,59 | 25,74 | 9.307,58 | 610,73 | 937,28 | 7,00 |
| UB 610 x 305 x 179 | 179,0 | 620,2 | 307 | 14,1 | 23,6 | 17 | 228,08 | 153.024 | 4.934,67 | 5.547,37 | 25,90 | 11.408,31 | 742,97 | 1.143,85 | 7,07 |
| UB 610 x 305 x 238 | 238,1 | 635,8 | 311 | 18,4 | 31,4 | 17 | 303,33 | 209.471 | 6.589,21 | 7.486,23 | 26,28 | 15.836,66 | 1.017,13 | 1.573,94 | 7,23 |
| UB 686 x 254 x 125 | 125,2 | 677,9 | 253 | 11,7 | 16,2 | 15 | 159,48 | 117.992 | 3.481,10 | 3.994,17 | 27,20 | 4.382,93 | 346,48 | 542,40 | 5,24 |
| UB 686 x 254 x 140 | 140,1 | 683,5 | 254 | 12,4 | 19,0 | 15 | 178,43 | 136.267 | 3.987,33 | 4.558,13 | 27,64 | 5.183,12 | 408,60 | 638,17 | 5,39 |
| UB 686 x 254 x 152 | 152,4 | 687,5 | 255 | 13,2 | 21,0 | 15 | 194,08 | 150.355 | 4.373,96 | 5.000,48 | 27,83 | 5.783,93 | 454,53 | 710,19 | 5,46 |
| UB 686 x 254 x 170 | 170,2 | 692,9 | 256 | 14,5 | 23,7 | 15 | 216,83 | 170.326 | 4.916,32 | 5.630,79 | 28,03 | 6.630,29 | 518,40 | 811,43 | 5,53 |
| UB 762 x 267 x 134 | 133,8 | 750,0 | 264 | 12,0 | 15,5 | 17 | 170,46 | 150.525 | 4.014,00 | 4.639,65 | 29,72 | 4.766,04 | 361,06 | 568,29 | 5,29 |
| UB 762 x 267 x 147 | 146,9 | 754,0 | 265 | 12,8 | 17,5 | 17 | 187,19 | 168.502 | 4.469,55 | 5.155,56 | 30,00 | 5.455,27 | 411,41 | 647,21 | 5,40 |
| UB 762 x 267 x 173 | 173,0 | 762,2 | 267 | 14,3 | 21,6 | 17 | 220,37 | 205.282 | 5.386,57 | 6.197,71 | 30,52 | 6.849,72 | 513,66 | 807,48 | 5,58 |
| UB 762 x 267 x 197 | 196,8 | 769,8 | 268 | 15,6 | 25,4 | 17 | 250,65 | 239.957 | 6.234,27 | 7.166,62 | 30,94 | 8.174,73 | 610,05 | 958,60 | 5,71 |
| UB 838 x 292 x 176 | 175,9 | 834,9 | 292 | 14,0 | 18,8 | 18 | 224,02 | 246.021 | 5.893,42 | 6.807,76 | 33,14 | 7.798,88 | 534,72 | 841,89 | 5,90 |
| UB 838 x 292 x 194 | 193,8 | 840,7 | 292 | 14,7 | 21,7 | 18 | 246,83 | 279.175 | 6.641,49 | 7.640,16 | 33,63 | 9.066,40 | 620,14 | 973,81 | 6,06 |
| UB 838 x 292 x 226 | 226,5 | 850,9 | 294 | 16,1 | 26,8 | 18 | 288,56 | 339.704 | 7.984,58 | 9.154,86 | 34,31 | 11.359,59 | 773,29 | 1.211,61 | 6,27 |

Tel: +49 2871 238 670

stad@stad.fr

www.stad.fr



Technische Daten Profile UB

Britische Universalträgerprofile

Tel: +49 2871 238 670

| Umschreibung | G kg/m | Abmessungen | | | | | | Statische Eigenschaften | | | | | | | |
|---------------------|-----------|-------------|---------|----------|----------|---------|----------------------|-------------------------|-------------------------|-------------------------|----------|-----------------------|-------------------------|-------------------------|----------|
| | | H mm | B mm | Tw mm | Tf mm | R mm | I cm ² | Starke Achse | | | | Schwache Achse | | | |
| | | | | | | | | Iy cm ⁴ | Wely cm ³ | Wply cm ³ | Iy cm | Iz cm ⁴ | Welz cm ³ | Wplz cm ³ | Iz cm |
| UB 914 x 305 x 201 | 200,9 | 903,0 | 303 | 15,1 | 20,2 | 19 | 255,92 | 325.254 | 7.203,85 | 8.351,30 | 35,65 | 9.422,81 | 621,35 | 981,98 | 6,07 |
| UB 914 x 305 x 224 | 224,2 | 910,4 | 304 | 15,9 | 23,9 | 19 | 285,65 | 376.414 | 8.269,20 | 9.534,57 | 36,30 | 11.235,98 | 738,97 | 1.163,45 | 6,27 |
| UB 914 x 305 x 253 | 253,4 | 918,4 | 306 | 17,3 | 27,9 | 19 | 322,83 | 436.305 | 9.501,42 | 10.942,06 | 36,76 | 13.301,11 | 870,78 | 1.370,55 | 6,42 |
| UB 914 x 305 x 289 | 289,1 | 926,6 | 308 | 19,5 | 32,0 | 19 | 368,27 | 504.187 | 10.882,52 | 12.569,76 | 37,00 | 15.597,36 | 1.013,80 | 1.601,26 | 6,51 |
| UB 914 x 419 x 343 | 343,3 | 911,8 | 419 | 19,4 | 32,0 | 24 | 437,30 | 625.780 | 13.726,26 | 15.477,05 | 37,83 | 39.155,69 | 1.871,24 | 2.889,57 | 9,46 |
| UB 914 x 419 x 388 | 388,0 | 921,0 | 421 | 21,4 | 36,6 | 24 | 494,22 | 719.635 | 15.627,25 | 17.665,33 | 38,16 | 45.438,43 | 2.161,16 | 3.340,90 | 9,59 |
| UB 1016 x 305 x 222 | 221,5 | 970,0 | 300 | 16,0 | 21,0 | 30 | 282,21 | 406.451 | 8.380,43 | 9.776,89 | 37,95 | 9.500,81 | 633,39 | 1.015,76 | 5,80 |
| UB 1016 x 305 x 249 | 248,7 | 980,0 | 300 | 16,5 | 26,0 | 30 | 316,85 | 481.079 | 9.817,94 | 11.347,04 | 38,97 | 11.754,44 | 783,63 | 1.244,73 | 6,09 |
| UB 1016 x 305 x 272 | 272,3 | 990,0 | 300 | 16,5 | 31,0 | 30 | 346,85 | 553.846 | 11.188,81 | 12.824,54 | 39,96 | 14.004,44 | 933,63 | 1.469,73 | 6,35 |
| UB 1016 x 305 x 314 | 314,3 | 1.000,0 | 300 | 19,1 | 35,9 | 30 | 400,42 | 644.211 | 12.884,22 | 14.850,82 | 40,11 | 16.231,74 | 1.082,12 | 1.712,72 | 6,37 |
| UB 1016 x 305 x 349 | 349,4 | 1.008,0 | 302 | 21,1 | 40,0 | 30 | 445,14 | 722.965 | 14.344,54 | 16.589,64 | 40,30 | 18.460,48 | 1.222,55 | 1.940,71 | 6,44 |
| UB 1016 x 305 x 393 | 392,7 | 1.016,0 | 303 | 24,4 | 43,9 | 30 | 500,24 | 807.688 | 15.899,37 | 18.539,60 | 40,18 | 20.496,00 | 1.352,87 | 2.167,98 | 6,40 |
| UB 1016 x 305 x 415 | 415,0 | 1.020,0 | 304 | 26,0 | 46,0 | 30 | 528,69 | 853.121 | 16.727,86 | 19.571,57 | 40,17 | 21.707,43 | 1.428,12 | 2.297,64 | 6,41 |
| UB 1016 x 305 x 438 | 437,4 | 1.026,0 | 305 | 27,0 | 49,0 | 30 | 557,19 | 909.843 | 17.735,73 | 20.767,71 | 40,41 | 23.357,16 | 1.531,62 | 2.463,86 | 6,47 |
| UB 1016 x 305 x 487 | 487,0 | 1.036,0 | 309 | 30,0 | 54,1 | 30 | 620,41 | 1.022.494 | 19.739,27 | 23.223,80 | 40,60 | 26.850,01 | 1.737,86 | 2.808,30 | 6,58 |
| UB 1016 x 305 x 494 | 493,9 | 1.036,0 | 309 | 31,0 | 54,0 | 30 | 629,13 | 1.027.959 | 19.844,77 | 23.413,29 | 40,42 | 26.824,17 | 1.736,19 | 2.818,11 | 6,53 |
| UB 1016 x 305 x 584 | 583,8 | 1.056,0 | 314 | 36,0 | 64,0 | 30 | 743,73 | 1.246.071 | 23.599,83 | 28.039,35 | 40,93 | 33.433,47 | 2.129,52 | 3.474,85 | 6,70 |

Tel: +49 2871 238 670

stad@stad.fr

www.stad.fr